

Sub: Policy for O&M charges w.e.f. 01/06/2013

1. Operation and Maintenance charges are decided based on the COD value of the discharged effluent mentioned as under:

COD value (mg/lit)	LSI/MSI (Rs/KL)	SSI (Rs/KL)
Less than 250	41	26
Between 251 to 500	54	32
Between 501 to 1000	68	40
Between 1001 to 1500	98	57
Between 1501 to 2000	130	79
More than 2000	197	118
2. Other parameters should be as per inlet norms of FETP.
3. For quality purpose, M/s. NCTL / Third Party Monitoring Agency appointed by NCTL will collect necessary samples / month (Min. 04 samples) from the industries and average of that will be considered for the billing of that month.
4. Average COD of last three months shall be considered for the Member Industry which is not a member of ETL / PETL and also not a zero discharge unit but not found discharging anything during all scheduled visits by M/s. NCTL / Third Party Monitoring Agency appointed by NCTL. In such case, if in previous months quality default is established, then defaulting COD shall be considered for the billing purpose for that defaulting month, but in subsequent months, if sample is not available, then for arriving average COD, defaulting COD would not be considered.
5. To consider only one sample out of samples collected in a span of 72 Hours, which ever is worst for billing purpose.
6. **Regarding quantity, 80 % valid CCA quantity or reading of flow meter, which ever is higher, will be considered for billing purpose.**

CCA Quantity: The quantity of total effluent (industrial and domestic) as described in Consolidated Consent and Authorization issued by GPCB.
7. Following charges are applicable for ETL and PETL.

COD value	Charges in Rs/KI
Less than 1000	29
Between 1001 to 1500	42
Between 1501 to 2000	57
More than 2000	72

Quantity for ETL and PETL shall be considered based on 70 % of CCA quantities of their members or actual quantity received through tankers, whichever is higher
8. In case of Company who have their ETP (connected to pipeline) and also they are giving their effluent to ETL / PETL, then the no. of tankers given to ETL/PETL will be deducted from the CCA quantity for that particular month.
9. **45 days deposit on the basis of Rs. 30 from Large / Medium Scale Industries and Rs. 18 from SSI will be taken for the new O & M deposit. The rate of O& M deposit of old industries will remain unchanged. NCTL will give 5.00 % simple interest on this deposit amount.**
10. Billing will be done every month and bill will be sent on 10th /11th of every month to Member Industries through courier.
11. Member Industry has to pay the bill within 15 days. After that 12 % interest will be levied.
12. Member Industries who are having consent to discharge their effluent only in the monsoon season will have to submit the certificate from respective GIDC / NAA for disconnection of U/G drainage connection for particular that period. Minimum charges as applicable to zero discharge units are levied from such Member Industries.
13. Regarding SSI units, Member Industry has to produce SSI registration certificate.

-----X-----