



NARMADA CLEAN TECH

(A subsidiary of GIDC)

NCT/CRZ/2026/MARCH -29

3 MARCH, 2026

To,
Inspector General of Forests (C)
Ministry of Environment, Forest and Climate Change,
Integrated Regional Office, Gandhinagar, MoEFCC
Karmayogi Bhawan,
Block-3, F-2 Wing, 5th Floor, Near CH-3 Circle,
Sector – 10A, Gandhinagar – 382010

Sub: Compliance status of CRZ clearance conditions- Six monthly status.

Ref.: CRZ Clearance dt.21/08/2015, F.No. 11-76/2012-IA.III.

Dear Sir,

Please find enclosed the Compliance Report for the period April 2025 to September 2025, submitted in accordance with the stipulated CRZ Clearance conditions mentioned above.

This is for your information and record

Hope you will find the same in order.

NCT is always committed to environment protection.

Thanking you,
Yours sincerely,
For NARMADA CLEAN TECH

UMESH CHAUHAN
Chief executive Officer

Encl: Compliance status- 6 pages.

Six Monthly CRZ Compliance Report

Of

M/s. Narmada Clean Tech

***Surti Bhagor, Nr. Gujarat Gas Office,
Umarwada Road, Ankleshwar, Dlst. Bharuch,
Gujarat***

Period of the Compliance Report

April - 2025 to September - 2025

CRZ File No: 11-76/2012-IA.III Dated 21/08/2015

Compliance of CRZ Clearance Conditions

A	Specific Conditions:	Compliance
(I)	'Consent to establish' shall be obtained from state pollution control board under the Air (Prevention and control of pollution) Act, 1974	Complied. CTE obtained from GPCB, one-time activity completed. CTE copy is attached As Annexure-1
(II)	The project proponent shall ensure real time monitoring of effluent quality by installing online effluent quality monitoring system at the outlet of pipeline carrying effluent for marine disposal for measurement of the parameters prescribed by Gujarat Pollution Control Board (GPCB) and transmission of online data so generated to GSPCB.	Complied Online monitoring system is installed at Booster Pumping Station outlet, FETP Ankleshwar outlet and Jhagadia pumping station outlet.-attached as Annexure -2 Monitoring of marine outfall is being monitored once in three years by competent Govt. institute like NIO/CSMCRI/NEERI.
(III)	The portion of pipeline proposed to be made non-functional shall be removed and disposed off scientifically. The trench so formed shall be backfilled and levelled.	Complied. The portion of pipeline proposed made non-functional.
(IV)	Laying of booster pump discharge line up to land fall point in the CRZ area should be as per norms.	Complied. Laying of booster pump discharge line up to land fall point in the CRZ area are as per norms
(V)	The existing mangrove area in intertidal area should be distributed. The pipeline shall be laid at least 50 m away from mangrove area.	Complied. The existing mangrove area in intertidal area is not distributed. The pipeline route is not covered with mangrove due to local fisherman's movement.
(VI)	All the conditions / recommendations stipulated by Gujarat Coastal Zone Management Authority (GCZMA) vide letter no ENV 10-2011-1509-E dated 29.09.2012, shall be complied with.	Complied
(VII)	Method of installation shall be obtain all required statutory clearances as applicable.	Complied

NARMADA CLEAN TECH

(Viii)	All the recommendations of the EIA/EMP, Disaster Management Plan shall be Strictly complied within Letter and Spirit. All the mitigation measures submitted in the EIA report shall be prepared in a Matrix format and the compliance for each mitigation plan shall be submitted to MoEF & CC along with half yearly Compliance report to MoEF & CC-RO.	Being Complied
(ix)	Project Proponent shall obtain all required statutory clearances as Applicable.	Complied. CCA Letter No. AWH-119846, Date of issue 02/04/2022, valid upto 24/07/2026.
(x)	Necessary signage shall be installed in both English and local languages Wherever the pipeline is passing.	Complied Pipeline is passing into sea.
(xi)	Soil and water samples shall be regularly Monitored along the pipeline route to Check the leakage / Contamination, if any and shall examine if any strengthening is Required.	Complied. Pipeline is buried in the intertidal region to off shore region. As per consent, We do it once in three year by government of India like NEERI, NIO
(xiii)	There shall be no disposal of solid and Liquid wastes into the coastal areas.	Complying
(xiv)	There shall be no ground water drawl within CRZ area.	Complying
(xiv)	No construction Work other than those Permitted in coastal Regulation Zone Notification shall be carried out in Coastal Regulation Zone area.	Complying Laying of pipeline completed in 2016 Year from landfall point to outfall location.
(xv)	The project component shall set up Separate environmental safeguards under the supervision of a senior Executive. The environmental cell setup so by NCTL shall closely coordinate with GIDC and GSPCB to explore the possibility of reuse of effluent by adopting 4R (Reduce/Recovery/Recycling/Reuse) Philosophy at the concerned industries End and thereafter adopting adequate Advance Oxidation Process (AOP) at FETP.	Our company is working as environment safeguard. Flow Chart of Pipeline. (Jhagadia and Ankleshwar to Kantiyajal)-attached as Annexure-3
(xvi)	The funds earmarked for environment management plans shall be included in the budget and this shall not be diverted for any other purpose.	Being Complied. Our total project itself is for Environment protection.
B.	GENERAL CONDITIONS	
(I)	Appropriate measures must be taken while undertaking digging activities to avoid any likely degradation of water quality.	Construction Activity of laying of pipeline is completed in 2016 Year

NARMADA CLEAN TECH

(ii)	Full support shall be extended to the officers of this ministry/ Regional Office at Bhopal by the project proponent during inspection of project for monitoring purpose by furnishing full details and action plan including action taken reports in respect of mitigation measure and other environmental protection activities	Noted
(iii)	A six monthly monitoring report shall need to be submitted by the project proponents to the Regional office of this ministry at Bhopal regarding the implementation of the stipulated conditions.	NIO Report is attached as Annexure-4
(iv)	Ministry of Environment, Forest and climate change or any other competent authority may stipulate any additional conditions or modify the existing ones, if necessary in the interest of environment and same shall be complied with.	Shall be complied with.
(v)	The ministry reserves the right to revoke this clearance if any of the conditions stipulated are not complied with the satisfaction of the ministry	Noted
(vi)	In event of a change in the project profile or change in the implementation agency, a fresh reference shall be made to the Ministry of Environment, Forest and Climate change.	Noted
(vii)	The project proponents shall inform the Regional office as well as the Ministry, the date of financial closure and final approval of project by the concerned authorities and the date of start of land development work.	Noted
(viii)	A copy of the clearance letter shall be marked to concerned panchayat / Local NGO, if any, from whom any suggestions / representation has been made / received while processing the proposal.	The said advertisement published in two widely circulated newspapers, one in Gujarati and one in English. Gujarat Samachar dated. 04/09/2015 and The Times of India dated. 05/09/2015. Photograph of the newspaper- attached as Annexure-5
(ix)	A copy of the clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The clearance letter shall also be displayed at the Regional Office, District Industries Centre a Collector's office/ Tehshildar's office for 30 days.	Complied.
8	These stipulations would be enforced among others under the provisions of the water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of pollution) Act 1981, the environment (protection) Act, 1986, the Public Liability (insurance) Act,1991 And EIA Notification, 1994, including the amendments and rules made thereafter.	Noted

NARMADA CLEAN TECH

9	All other Statutory Clearance such as the approves for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (PROTECTION) Act, 1972 etc. Shall be Obtained, as applicable by project proponents from the respective Competent authorities.	Complied. Using 6 Nos. of Electric Pump of 15 MLD Capacity
10	The project proponent shall advertise in at least two local newspaper widely circulated in the region, one of the shall be in the vernacular language informed that the project has been accorded CRZ Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, forest & Climate Change at http://www.envfor.nic.in . The advertisement should be made within Seven days from the date of receipt of the Clearances letter and a copy of the same should be forwarded to the Regional office of this Ministry at Bhopal.	The said advertisement published in two widely circulated newspapers, one in Gujarati and one in English. Gujarat Samachar dated. 04/09/2015 and The Times of India dated. 05/09/2015. Photograph of the newspaper- attached as Annexure-5
11	Any appeal against this clearance shall be with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act,2010	Noted
12	This clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs Union of India in Writ Petition (Civil) No. 460 of 2004 as may be applicable to this project.	Noted
13	Status of compliance to the Various stipulated environmental conditions and environmental safeguards will be uploaded by the project proponent in its website.	Being complied. NIO Report is attached as Annexure-4 Company Website: www.nctc.co.in Members corner - CRZ
14	A copy of the clearance letter shall be sent by the proponent of concerned Panchayat, Zilla Parishad / Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions / representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Complied.
15	The proponent shall upload the status of compliance of the stipulated clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously sent to the Regional office of MoEF & CC, the respective Zonal Office of the CPCB and the SPCB.	Being complied.
16	The Project proponent shall also submit six Monthly reports on the status of compliance of the stipulated	Being complied.

NARMADA CLEAN TECH

	clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional office of Ministry, the respective Zonal Office of CPCB and the SPCB.	
17	The environmental statement for each financial year ending 31 st march in Form-V as is mandated to be submitted by the project proponent to the concerned state Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of Clearance conditions and shall also be sent to the respective Regional office of MoEF & CC by e-mail.	Being Complied. Form – V Copy is attached as Annexure-4



GUJARAT POLLUTION CONTROL BOARD

PARYAVARAN BHAVAN

Sector-10-A, Gandhinagar-382 010

Phone : (079) 23226295

Fax : (079) 23232156

Website : www.gpcb.gov.in

By R.P.A.D.

Consent to Establish (NOC) - Amendment
CTE AMENDMENT NO: CTE - 119845

NO:GPCB/ANK/CCA-1015(40)/ID-27833/

DT: /08/2022

To,
 ✓ M/s. NARMADA CLEAN TECH (NCT),
 AT: SURTI BHAGOR,
 UMARWADA ROAD,
 NEAR GUJARAT GAS CO. LTD,
 ANKLESHWAR, DIST: BHARUCH.

SUB: Amendment in Consent to Establish (NOC) under Section 25 of Water Act 1974 and Section 21 of Air Act 1981.

REF: (1) Your NOC application No. 207499 dated 26/11/2021 (for CTE-Expansion).
 (2) CCA No. AWH - 79601 dated: 12/08/2016 and further amended dated: 25/06/2019.

Sir,

Without prejudice to the powers of this Board under the Water (Prevention and Control of Pollution) Act-1974, the Air (Prevention and Control of Pollution) Act-1981 and the Environment (Protection) Act-1986 and without reducing your responsibilities under the said Acts in any way, this is to inform you that this Board grants **Consent to Establish (NOC)** for **Proposed changes** in an industrial plant/activities at **AT: SURTI BHAGOR, GIDC UMARWADA ROAD, NEAR GUJARAT GAS CO. LTD., ANKLESHWAR, DIST: BHARUCH** for enhancing effluent quantity from 60 MLD to 75 MLD treated effluent pipeline for discharge of treated effluent.

The Validity of this order will be up to 25/11/2028.


1. The consent to operate under Water Act -1974, Air Act - 1981 and Authorization under the Hazardous & Other Waste (Management and Trans-boundary Movement) Rule-2016 framed under the Environment (Protection) Act, 1986 for collection of treated effluent from member industrial units of Ankleshwar and Panoli Industrial estates; conveyance of the collected effluent up to the inlet of FINAL EFFLUENT TREATMENT PLANT (FETP) located at Vill; Piraman, Dist: Bharuch; operation of FETP having 40 MLD capacity and use of new outlet for the discharge of treated effluent from the FETP - Ankleshwar.

To convey treated effluent from outlet of FETP-Ankleshwar (40 MLD) and treated effluent from Jhagadia Pipeline Project (35 MLD) to Booster pumping station through effluent conveyance pipeline with 43.6 kms onshore from FETP-Ankleshwar and 61 km onshore from Jhagadia FPS, 1.8 Kms onshore pipeline from FPS to Land fall point and 9.37 kms offshore pipeline from Land fall point to Marine Outfall Point having capacity to the tune of 75 MLD, into deep Sea of Kantiajal village, Dist: Bharuch in the Gulf of Khambhat, through well designed diffuser at a point recommended by NIO i.e. Latitude 21° 28' 10.2"N Longitude 72° 33' 45" E.

2. **Specific conditions:**
 - a. **There shall be no change in water consumption & wastewater generation from proposed changes.**

- b. There shall be no change in fuel consumption & flue gas emission from proposed changes.
 - c. There shall be no change in process gas emission from proposed changes.
 - d. There shall be no change in hazardous waste quantity/category from proposed changes.
 - e. Total treated effluent to be received at Booster pumping station shall not exceed 75 MLD (40 MLD from FETP through 43.6 KM pipeline and 35 MLD from JPP through 61 KM pipeline.
 - f. Discharge of treated effluent from Booster pumping station to Land fall point (1.8 KM) and Land fall point to Marine Outfall Point in deep Sea (9.37 KM) shall achieve prescribed norms.
 - g. NCT shall comply with all conditions of CRZ Clearance issued vide no. F.NO. 11-76/2012-IA.III, dated: 21/08/2015 "for enhancing effluent quantity from 60 MLD to 75 MLD treated effluent pipeline".
3. All other Conditions of CCA order No: AWH-79601, issued vide letter no. GPCB/ ANK/ CCA-1015(24)/ ID-27833/366288, dated 12/08/2016 shall remain unchanged.


For and on behalf of
GUJARAT POLLUTION CONTROL BOARD



(Arun G. Patel)
ENVIRONMENT ENGINEER


OUTRAGED No: 580436-16/08/2012

Annexure-2



KANTYAL JAL		ANKLESHWAR		JHAGADIA		02/24/2026 16:00:32	
REPORT	ALARM	REPORT	ALARM	REPORT	ALARM	REPORT	ALARM
ELECTRICAL SYSTEMS		ELECTRICAL SYSTEMS		ELECTRICAL SYSTEMS		ELECTRICAL SYSTEMS	

75 MLD on-shore & off-shore pipeline project - Effluent Disposal Line for Jhagadia, Panoli & Ankleshwar




DISTRIBUTION RESTRICTED

NIO/SP-43/2025
(SSP-3623)

**Impact assessment of treated effluent release, including
the evaluation of physio-chemical and biological
parameters in marine discharge off Kantiajal,
Gulf of Khambhat, Gujarat**

Sponsored by
Narmada Clean Tech Limited,
Ankaleshwar



सीएसआईआर – राष्ट्रीय समुद्र विज्ञान संस्थान
CSIR-NATIONAL INSTITUTE OF OCEANOGRAPHY
(वैज्ञानिक तथा औद्योगिक अनुसंधान परिषद)
(COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH)
दोना पावला, गोवा भारत / DONA PAULA, GOA - 403004 India

फ़ोन/Tel : 91(0)832-2450450/ 2450327

फैक्स /Fax: 91(0)832-2450602

इ-मेल/e-mail : ocean@nio.res.in

[http:// www.nio.org](http://www.nio.org)



ARSIT 001.jpg

https://mail.google.com/_scs/mail-static/_fs/k=gmail.main.en.rile...

To: I - 51915 - Page no - 4 - Sunday 09/09/2015

THE TIMES OF INDIA, AHMEDABAD
SATURDAY, SEPTEMBER 5, 2015

CITY

'Managing 8 daughters no big deal'

Continued from P1

Besides, she said, the profession also turned them get married into respectable families.

"I managed hundreds of kids in my school so managing my eight daughters was no big deal. Teachers are also professional brides because they have learnt how and know how to raise and educate their children," says Madhuben Shewar, an epide-
miologist at her own firm, the government ser-
vants or working in pro-
fessionals.

Late Harshman, who was a social science teacher from E. N. Wadia, bought a second-hand Maruti van after his retirement just to pick up all his grand children from various localities of the city and bring them to and from school. "This was his way of being in touch with the kids and talk to them continuously about their studies and careers," says Madhuben.

Anti-Patidar rally being planned

Continued from P1

This rally is proposed to begin from Gandhinagar railway station some 2 km from Narsara railway station and reach Gandhinagar via a route of 18 km. Nearly 5,000 people of Koli Patel and Tandel communities from the area are likely to join in this anti-Patidar rally.

District collector of Narsara, Romraj Mahajan said, "We have received application for holding peaceful rally at the same time with a double march of Patidars scheduled. We have not taken any

CHANGE OF NAME

(OLD NAME)
MOHANLAL KESHURAM

(NEW NAME)
MOHANLAL KESHURAM

MALI

Add:

Plot No. 101, Dhanlaxmi Hsg. Group Sec. Ltd.,
Rane Park Durgam,
Vap. Tal. Vap. Dist. Varod,
Gujarat State

HARMADA CLEAN TECH
(a subsidiary of GIDC)
Sudhakar, Air Export Office, Bhamburda Road,
Amalnagar, 383 001, Dist. Bhavnagar (Gujarat), India. Email: info@hct.co.in
PIN - 383001 (079266) 452765, 645033, 645021

NOTICE

Harmada Clean Tech (HCT) is a company, subsidiary of Gujarat Industrial Development Corporation (GIDC) having one of the largest CETPs, at Amalnagar.

It is to notify that 102 documents have been accepted to Harmada Clean Tech for processing effluent quantity from 50 MLD to 75 MLD by the effluent treatment by discharge of effluent from their plant into deep sea through existing outfall. The name and effluent quantity of each company, was listed dated 27/08/2015.

The copies of CRT clearance letter are available with State Pollution Control Board and may also be seen on the web site of HCT & Co. at <http://www.environmentalclearance.com>


Harmada Clean Tech

PROBLEMS KAYI,
BHAROSA WAHI!



- Hair Loss
- Hair Fall
- Dandruff
- Hair Thinning
- Hair Fall in Patches

We also treat Allergies, Breathing troubles, Acidity, Gastric Disorders, Gynaecological Problems, High Sugar Levels, Joint Pain, Overweight Issues, Psoriasis, Sexual Problems, Thyroid and other health problems for all ages.



FREE Hair Vitalizing Treatment on registration

OFFER VALID TILL 31ST SEPTEMBER '15

091677 91677
SMS DEH to 575758



HOMEOPATHY

www.dhanraj.com

Dr. Dhanraj is a highly qualified Homeopath with 15 years of experience in the field of Homeopathy. He has a B.Sc. in Homeopathy from the Gujarat Homeopathic Medical College, Gandhinagar, Ahmedabad. He has also completed his M.D. in Homeopathy from the Gujarat Homeopathic Medical College, Gandhinagar, Ahmedabad. He is currently practicing Homeopathy in Gandhinagar, Ahmedabad. He has a special interest in the treatment of various chronic and acute conditions. He has a wide range of experience in the treatment of various ailments such as Allergies, Breathing troubles, Acidity, Gastric Disorders, Gynaecological Problems, High Sugar Levels, Joint Pain, Overweight Issues, Psoriasis, Sexual Problems, Thyroid and other health problems for all ages. He has a special interest in the treatment of various chronic and acute conditions. He has a wide range of experience in the treatment of various ailments such as Allergies, Breathing troubles, Acidity, Gastric Disorders, Gynaecological Problems, High Sugar Levels, Joint Pain, Overweight Issues, Psoriasis, Sexual Problems, Thyroid and other health problems for all ages.